

Facilities Management

Asbestos Containing Ceiling List

Effective 7-1-22 to 6-30-23

Asbestos Containing Ceiling Tile

Building	Location
FH	2 X 4 Lay in – Rooms 204, 204A, 216, 217, B,C-H
FH	2 X 4 Lay in – Room 401A
NSB	1 st Floor-Rooms 100 (all rooms), 101 (all rooms), 103, 105, 109, Hallways 110, 115 2 nd Floor-Rooms 201B, 201G, 202, 207, 211, 212, Hallways 217, 218, 219 Stairwell 215 and 220
RC	Acoustic Rooms 2 nd Floor-transite
UH	2 X 4 Lay in – Room 107
VIT	2 x 4 Lay in – Room 103 (cold shop area)

Asbestos Containing Acoustic Ceilings

Building	Location
BON/Braden	Rooms 183 (Circus Room)
CVA	Rooms: 145, 146, 147, 148, 149, 150, 151, 152, 177, 178, 179 (these rooms make up the rotunda area)
FSA	Rooms 020/156 (mechanical room)
FH	Room 324-S.E.A.T. (often considered part of Metcalf)
JG	Rooms: 113, 114, 123, 124, 125, 126, 127, 128, 129,130, 130A,131, 133, 134, 135
MLS	ANY ACOUSTIC/TEXTURED CEILING (classrooms, teacher offices)
UH	Room 230 (Library)
WIH	9,13, 13A, 30(hall), 117, 118, 119, 142(hall), 214, 215, 216, 217, 229(hall), 315, 315A
OU	2 nd floor North/South hallway, 206, 217, 301, 308 (mech. room), 309, 310 **some acoustic ceilings could be above suspended ceilings.

Asbestos Containing Fireproofing

Building	Location
HOV	Spray on – East basement mech. room ceiling (above S-5 only)

Please contact the EHS Asbestos Program Coordinator at **309-438-8326** prior to beginning work to verify location to be disturbed or cleaned.

Environmental Health and Safety
202 Nelson Smith Building, Campus Box 1320
Phone: 309-438-8325 Fax: 309-438-3086

WATER LEAK (INVOLVING CEILING TILE)

FACILITIES MANAGEMENT

In the event of a water leak that involves ceiling tile, immediate action is required to determine if the ceiling tile is asbestos containing material.

PROCEDURE	TIME COMPLETED
<ol style="list-style-type: none"> 1. Determine if ceiling tile is on the Asbestos Containing Ceiling Tile List. 2. If you are not sure notify Environmental Health and Safety at 309-438-8325 (during off hours contact the on-call safety officer via ISUPD at 309-438-8631). 	

NON-ASBESTOS CONTAINING CEILING TILE	TIME COMPLETED
<p>Notify the following individuals:</p> <ol style="list-style-type: none"> 1. Facilities Management Work Management 309-438-5656. 2. Heating Plant 309-438-5516. 3. If the leak is considered a <u>major</u> water leak notify the on-call Safety Officer. <ol style="list-style-type: none"> a. A <u>major</u> water leak is defined as leaks that could be caused by a roof leak, plumbing pipe, sprinkler system failure, and/or heating and cooling systems in which water floods one or more rooms. A major water leak is water leaking out of multiple electrical fixtures; damaging ceilings, furnishings and/or equipment in the rooms. 	

ASBESTOS CONTAINING CEILING TILE	TIME COMPLETED
<p>Notify the following individuals:</p> <ol style="list-style-type: none"> 1. Facilities Management Work Management 309-438-5656. 2. Heating Plant 309-438-5516. 3. Environmental Health and Safety at 309-438-8325 (during off hours contact the on-call safety officer via ISUPD at 309-438-8631). <p>Procedure:</p> <ol style="list-style-type: none"> 1. Do not enter room. 2. Turn off water (remotely, even if you need to shut down all of building). 3. Secure room if possible. 4. Cordon off area with "Danger – Do Not Enter/Authorized Personnel Only" signage. 5. Building occupants should be notified of water outage and appropriate signage installed. 	